528 Rec'd PCT/PTO 16 FEB 2001

FORM P	TO-1390	(Modi≪ed) U.S. DEPARTMENT	ATTORNEY'S DOCKET NUMBER							
(REV 10		ANSMITTAL LETTER	1481							
,	DESIGNATED/ELECTED OFFICE (DO/EO/US) U.S. APPLICATION NO. (IF KNOWN, SEE 37 CF									
		CONCERNING A FILIN	09/763068							
INTER		ONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED						
	P	CT/CH 99/00426	SEPTEMBER 13, 1999	SEPTEMBER 21, 1998						
TITLE OF INVENTION										
CAN	CANDLE FILTER ELEMENT									
APPLICANT(S) FOR DO/EO/US Patrick MUELLER, Ivo SCHUMACHER										
Taure Woedber, Woschonacher										
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:										
1.	\boxtimes	This is a FIRST submission of i	tems concerning a filing under 35 U.S.C. 371.							
2.			This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.							
3.			in national examination procedures (35 U.S.C. of the applicable time limit set in 35 U.S.C. 3							
4.	X			19th month from the earliest claimed priority date.						
5.	X	.,	lication as filed (35 U.S.C. 371 (c) (2))	15						
			(required only if not transmitted by the Interr	national Bureau).						
1 6.		·	y the International Bureau.	iving Office (BO/US)						
1	ΙZΙ		application was filed in the United States Received							
		A translation of the International Application into English (35 U.S.C. 371(c)(2)).								
77.	<u></u>	A copy of the International Search Report (PCT/ISA/210). Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))								
#8.	2.3									
		 a. are transmitted herewith (required only if not transmitted by the International Bureau). b. have been transmitted by the International Bureau. 								
İ										
		•								
9. 10.	X	A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).								
10.	\boxtimes	An oath or declaration of the inv	ventor(s) (35 U.S.C. 371 (c)(4)).							
1 1.		A copy of the International Preliminary Examination Report (PCT/IPEA/409).								
₫2.		A translation of the annexes to t (35 U.S.C. 371 (c)(5)).	A translation of the annexes to the International Preliminary Examination Report under PCT Article 36							
inii:			AGN out to Comment on the all all a							
	tems I	3 to 18 below concern documer		•						
13. 14.	×	An Information Disclosure Statement under 37 CFR 1.97 and 1.98. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.								
15.		A FIRST preliminary amendment.								
1	A SECOND or SUBSEQUENT preliminary amendment.									
16.		A substitute specification.								
17.		A change of power of attorney and/or address letter.								
18.	X	Certificate of Mailing by Express Mail								
19.		Other items or information:								
1										
1		EF 215953 692 US								
L1 0213412										
ļ										
1										

DATE

Candle filter element

1

The invention relates to a candle filter element for assembly in a pressurized container, consisting of a support body disposed around a central tube with a closed surface, over which a filter cloth is stretched, wherein the support body is formed as a multi-lobed sheath element.

A candle filter element of this type is known from EP-A 0066921. The known filter element has support bodies in the form of a tube bundle. However, the use of tube bundles creates problems with regard to cleaning, especially before a change of product. Product residues in the interstices between the individual tubes are only partially, or not at all, removable. This applies particularly to filtration of food, pharmaceutical and biotechnological products where CIP (cleaning in place) or SIP (sterilization in place) is necessary.

The problem of the invention is to provide a filter element that is of simple and sturdy construction and extracts solids efficiently, yet ensures thorough cleaning.

In accordance with the invention this problem is solved by disposing the sheath element around the central tube and forming it in a series of semicircular curves. The support body now consists of an outer sheath, which is disposed around a central tube. This has the advantage that difficult-to-clean points of contact between individual support elements are eliminated. At the same time, a saving in material, and therefore weight, can be made, and the surface area to be cleaned can be reduced.

It is advisable to form the sheath element with at least two, and preferably at least three, lobes. With fewer than three curves in the sheath, the cleaning effect is not adequate.

It is convenient to join the sheath element to the central tube. The central tube can then be taken out together with the support body. This has the advantage that the candle

filter element can be made pressure-proof. Taking out the central tube has the further advantage that the interstices can be exposed for cleaning.

It has been found particularly advantageous to form the curves in the sheath element as semicircles. The curved support body has the advantage that there are no corners or edges to damage the e.g. textile filter medium during filtration. The rounded shape of the support body extends the service life of the filter medium.

In one configuration the surface of the sheath element is provided with openings. These drainage openings may be round or angular, square, polygonal or oblong, or formed as slits.

Openings formed as slits have proved particularly advantageous. They should extend at an angle α of less than 120°, in particular between 60° and 120°, to the axis of the sheath element. An angle of less than 60° has the drawback that the sturdiness of the sheath is no longer assured; and the same applies to angles of more than 180°. The most suitable material has been found to be stainless or special steel as used in the food and pharmaceutical industry.

The invention will now be described in detail with reference to a drawing, in which are shown schematically:

- In Fig. 1, a longitudinal section through the candle filter element according to the invention
- In Fig. 2, the candle filter element in cross-section
- In Fig. 3, the cross-section of a four-lobed support body of the candle filter element
- In Fig. 4, the cross-section of a three-lobed support body of the candle filter element
- In Fig. 5, one variant of the six-lobed sheath element of the candle filter element, joined to the central tube

- In Fig. 6, the cross-section of a four-lobed sheath element of the candle filter element, joined to the central tube
- In Fig. 7, the cross-section of a three-lobed sheath element of the candle filter element, joined to the central tube.

In Fig. 1 a bottom end of the candle filter element carries the reference number 1. A sheath element 4, which is joined to a central tube 3, is arranged between the bottom end 1 and a head part 2. The central tube 3 has a closed surface over its entire length. A filter medium 5, preferably of woven cloth, is arranged over the sheath element 4. A coupling 6 for fixing the candle filter element inside a container (not shown) is provided in the head part 2. The sheath element 4 is partly provided with openings 7 appearing in the right-hand part of Fig. 1 as (by way of example) circular holes, and in the left-hand part of Fig. 1 as slits forming an angle a with the axis of the sheath element.

When in operation, the candle filter element is arranged in the container (not shown). Filtration takes place through the filter medium 5 from the outside inwards, through the openings 7 in the sheath element 4, with the clarified filtrate collecting between the sheath element 4 and the central tube 3. The filtrate enters the lower part of the central tube 3 and leaves the central tube 3 through its upper opening, passing into the filtrate chamber (not shown) of the filter container. The run-off of filtrate is substantially improved by the openings 7 in the sheath element 4.

Fig. 2 shows a six-lobed sheath element 4 mounted on the central tube 3 with the filter medium 5 in the filtration condition (unbroken line) and in the inflated condition during cleaning (dotted line). The filter medium 5 is stretched over the sheath element 4 so that it forms a wavy surface during filtration from the outside inwards and has a round cross-section during backwashing.

In Figs. 3 and 4 the central tube 3 is provided with the sheath element 4 which has different lobe configurations.

In Fig. 5 the sheath element is composed of six individual sheath parts 4', 4", etc. The individual sheath parts 4', 4", etc. are attached to the central tube 3 at the points 8.


In Figs. 6 and 7 the sheath parts 4', 4" are similarly attached to the central tube 3 at the points 8. The attachment may be made in a known manner, preferably by welding.


The provision of the sheath element 4 according to the invention in a candle filter has the advantage that a filter medium can be supported in a simple way and the filtrate can run off unhindered in the space between the central tube 3 and the filter medium 5.

<u>Claims</u>

- 1. Candle filter element for assembly in a pressurized container, consisting of a support body disposed around a central tube (3) with a closed surface, over which a filter cloth (5) is stretched, wherein the support body is formed as a multi-lobed sheath element (4), characterized in that the sheath element (4) is arranged around the central tube (3) and the curves described by the sheath element (4) are semicircles.
- 2. Candle filter element according to Claim 1, characterized in that the surface of the sheath element (4) has openings (7).
- 3. Candle filter element according to Claim 2, characterized in that the openings (7) are circular.
- 4. Candle filter element according to Claim 2, characterized in that the openings (7) are formed as slits.
- 5. Candle filter element according to Claim 4, characterized in that the openings formed as slits (7) forms an angle α of less than 120° with the axis of the sheath element (4).

1/2





DECLARATION AND POWER OF ATTORNEY FOR NATIONAL STAGE OF PCT PATENT APPLICATION

As a below-named inventor, I hereby declare that:

Patrick MUELLER Ivo SCHUMACHER

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled **CANDLE FILTER ELEMENT** the specification of which was filed as PCT International Application number PCT/CH 99/00426 on September 13, 1999.

I hereby state that I believe the named inventor or inventors in this Declaration to be the original and first inventor or inventors of the subject matter which is claimed and for which a patent is sought.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365 (b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior foreign application(s):

Priority claimed:

1924/98 (Number)	SWITZERLAND (Country)	September 21, 1998 (Date filed)	Yes	No
(Number)	(Country)	(Date filed)	Yes	No

As a named inventor, I hereby appoint the following attorney to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Michael J. Striker, Reg. No. 27233

Direct all telephone calls to Striker, Striker & Stenby at telephone no.: (631) 549 4700 and address and all correspondence to:

STRIKER, STRIKER & STENBY 103 East Neck Road Huntington, New York 11743 U.S.A.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such wilful false statement may jeopardize the validity of the application or any patent issued thereon.

Signature:	Date: 2 /3 / 0 /	Residence and Full Postal Address: Glaernischstrasse 65	
Full Name of First or Sole Inventor: Patrick MUELLER	Citizenship: SWISS	CH-8712 <u>Staefa</u> Switzerland CHK	
Signature: Cluck	Date: 2/5/01	Residence and Full Postal Address: Zuercherstrasse 178	
Full Name of Second Inventor: Ivo SCHUMACHER	Citizenship: SWISS	CH-8645 Jona Switzerland	
Signature:	Date:	Residence and Full Postal Address:	
Full Name of Third Inventor:	Citizenship:		
Signature:	Date:	Residence and Full Postal Address:	
Full Name of Fourth Inventor:	Citizenship:		
Signature:	Date:	Residence and Full Postal Address:	
Full Name of Fifth Inventor:	Citizenship:		
Signature:	Date:	Residence and Full Postal Address:	
Full Name of Sixth Inventor:	Citizenship:		
Signature:	Date:	Residence and Full Postal Address:	
Full Name of Seventh Inventor:	Citizenship:		
Signature:	Date:	Residence and Full Postal Address:	
Full Name of Eighth Inventor:	Citizenship:		
Signature:	Date:	Residence and Full Postal Address:	
Full Name of Ninth Inventor:	Citizenship:		
	Full Name of First or Sole Inventor: Patrick MUFLLER Signature: Full Name of Second Inventor: Ivo SCHUMACHER Signature: Full Name of Third Inventor: Signature: Full Name of Fourth Inventor: Signature: Full Name of Fifth Inventor: Signature: Full Name of Sixth Inventor: Signature: Full Name of Sixth Inventor: Signature: Full Name of Seventh Inventor: Signature: Full Name of Seventh Inventor: Signature: Full Name of Seventh Inventor: Signature: Full Name of Eighth Inventor:	Full Name of First or Sole Inventor: Patrick MUELLER Signature: Signature: Vo SCHUMACHER Signature: Date: Pull Name of Second Inventor: Ivo SCHUMACHER Signature: Date: Full Name of Third Inventor: Citizenship: Signature: Date: Full Name of Fourth Inventor: Citizenship: Signature: Date: Full Name of Fifth Inventor: Citizenship: Signature: Date: Full Name of Sixth Inventor: Citizenship: Signature: Date: Full Name of Sixth Inventor: Citizenship: Signature: Date: Full Name of Seventh Inventor: Citizenship: Signature: Date: Full Name of Seventh Inventor: Citizenship: Signature: Date: Full Name of Seventh Inventor: Citizenship: Signature: Date: Full Name of Eighth Inventor: Citizenship: Signature: Date:	